



Paper No. 9

Townsend and Townsend and Crew, LLP
Two Embarcadero Center
Eighth Floor
San Francisco, CA 94111-3834

MAILED

NOV 29 2002

Technology Center 2100

In re Application of:)	
Thomas Kean)	
Application No. 09/747,759)	
Filed: December 21, 2000)	DECISION ON REQUEST FOR
For: METHOD AND APPARATUS FOR)	WITHDRAWAL AS ATTORNEY
SECURE CONFIGURATION OF A)	
FIELD PROGRAMMABLE GATE)	
ARRAY)	

This is a decision on the Request To Withdraw from Representation filed November 21, 2002.


A grantable request to withdraw as attorney of record should indicate thereon the present mailing addresses of the attorney(s) who is/are withdrawing from the record and of the applicant. The request for withdrawal must be signed by every attorney seeking to withdraw or contain a clear indication that one attorney is signing on behalf of another/others. A request to withdraw will not be approved unless at least 30 (thirty) days would remain between the date of approval and the later of the expiration date of a time to file a response or the expiration date of the maximum time period which can be extended under 37 C.F.R. § 1.136(a). The effective date of withdrawal being the date of decision and not the date of request. See M.P.E.P. § 402.06. **37 C.F.R. § 1.36 further requires that the applicant or patent owner be notified of the withdrawal of the attorney or agent.**

There is no indication that Applicant has been notified of the request for withdrawal. Accordingly, the request is **DENIED**.

All future communications from the United States Patent and Trademark Office (Office) will continue to be directed to the above-listed address until otherwise notified by applicant. Applicant is reminded of the obligation to promptly notify the Office of any change in correspondence address to ensure receipt of all communications from the Office.

Serial No. 09/747,759
Decision on Petition

Page 2



For Vincent N. Trans
Special Programs Examiner
Technology Center 2100
Computer Architecture and Software
(703) 305-9750